

**Highest efficiency for all
bale types in all machines!**



PLUS
TRIOWRAP[®] 1900 RS
2400 RS
For best efficiency

PLUS TRIOWRAP[®] 1900 RS 2400 RS

MAKES YOU MORE EFFICIENT!



Up to 41% reduced carbon footprint*



Proven with low silage losses - DM losses down to 1%!**



More meters per reel - Increased output per day

* LCA modeled in SimaPro using data from the ecoinvent inventory database. Reduction in impact when comparing Triowrap plus 1900/2400 RS 21μ loop version to Triowrap 25μ.

** Test by Swedish University of Agricultural Sciences (SLU) 2016



PRODUCT DATA

Dimensions	Reels/pallet	Colour	Core	UV-Protection	Application
750 mm x 0.021 mm x 1900 m ³⁾	15 ²⁾	White, eco-green, green, black ¹⁾	Premium water protected paper	12 months	For round and square bales
750 mm x 0.021mm x 2400 m	16 ²⁾	White, eco-green	Premium water protected paper	12 months	For round and square bales

¹⁾ Charity edition: pink, blue, yellow

²⁾ Packaging: 1900 m - Box, sleeve or Contractorwrap packaging Solution. 2400 m - Only Contractorwrap packaging solution.

³⁾ Available as loop, containing 30% PCR, RecyClass certified



Triowrap plus has been tested by the Swedish University of Agricultural Sciences (SLU) regarding silage quality and feed losses.

Try our
bale wrap guide
on [triowrap.com](https://www.triowrap.com)

MORE SUSTAINABILITY? YES PLEASE!

- Reduce your feed losses as much as possible – Dry matter losses down to 1% with Triowrap plus 1900/2400 RS**
- Be efficient in your silage making – with Triowrap plus 1900/2400 RS you can increase your efficiency by 60%!
- Optimize your use of plastic when wrapping – with Triowrap plus 1900/2400 RS you can reduce your usage by 16%
- Try our Triowrap plus loop option, based on 30% PCR (post-consumer recycled material), which decreases the carbon footprint by approx. 41%.*
- Collect and sort plastic waste after usage for recycling – Triowrap plus is fully recyclable, including the packaging!

** LCA modeled 2022 in SimaPro using data from the ecoinvent inventory database. Reduction in impact when comparing Triowrap plus loop 21μ to Triowrap virgin 25μ.



PLUSTECH™


The unique technology for a perfect thinner premium film

PlusTech is our name for a number of technology innovations that combine a special blend of raw materials, unique manufacturing processes and over 50 years of knowledge and silage expertize in different processes to achieve products with improved efficiency for end-users.



Triowrap premium film


Triowrap plus
1900/2400 RS
Pre-oriented film



Your benefits with PlusTech

- Less climate impact
- Optimized wrapping and ensiling properties
- No compromising on fodder quality
- Best economical silage
- Excellent tear strength
- Minimal air permeability
- Smooth bale surface
- Minimized disposal costs due to a thinner and more efficient film

Higher efficiency – Save time & money!



Based on: Round bale 1,20 m, 6 layers of film, 55 % overlap, 70 % pre stretch, when comparing to 1500 m/25μ film.

FOR ROUND AND SQUARE BALES



PROVEN PRODUCT



REDUCED CLIMATE IMPACT



Support cancer awareness with our charity reels



Efficient & sustainable silage making

We know the hazards and challenges of the harvest season and we can support you with our many years of experience. If you need help, our silage experts and technical support team is there to support you to improve your yield, efficiency and sustainability in your silage making - all over the world.

Find out more on triowrap.com



Follow us on Facebook and Instagram
@triowrap



Trioworld
Box 143
SE-333 23 Smålandsstenar
+46 371 345 00



APE Europe objective is to improve agri-waste recycling rate by the implementation of national collecting Schemes (NCS) all over Europe.